



PRODUCT LIST

S.No	PRODUCT NAME	COMPOSITION	UNIT PACK
	TABLETS		
1	Alermed -120 Tabs.	Fexofenadine Hydrochloride 120 mg	10 x 1 x 10
2	Alermed-M Tab.	Fexofenadine Hydrochloride 120mg + Montelukast 10 mg	20 x 1 x 10
3	Amoxil Clav-625 Tabs.	Amoxycillin 500 mg + Clavulanic acid 125 mg	10 x 1 x 10
4	Amoxil Clav-625 Tabs.	Amoxycillin 500 mg + Clavulanic acid 125 mg	20 x 1 x 6
5	Amoxil 125 DT Tabs.	Amoxycillin 125 mg	20 x 10
6	Amoxil 250 DT Tabs.	Amoxycillin 250 mg	20 x 10
7	Aslomed -P Tabs.(Blister)	Aceclofenac 100 mg + Paracetamol 325 mg	60 x 10
8	Aslomed -P Tabs.(Alu-Alu)	Aceclofenac 100 mg + Paracetamol 325 mg	20 x 10
9	Aslomed -MR Tabs.	Aceclofenac 100 mg + Paracetamol 325 mg + Chlorzoxazone 250 mg	20 x 10
10	Aslomed -SP Tabs.	Aceclofenac 100 mg + Paracetamol 325 mg + Serratiopeptidase 15 mg	20 x 10
11	Atormax-10 Tabs.	Atorvastatin 10 mg	20 x 10
12	Atormax-20 Tabs.	Atorvastatin 20 mg	20 x 10
13	Azimed 250 Tabs.	Azithromycin (anhydrous) 250 mg	10 x 1 x 6
14	Azimed 500 Tabs.	Azithromycin (anhydrous) 500 mg	10 x 1 x 3
15	Cadi-O Tabs.	Offoxacin 200 mg	30 x 10
16	Cantel (Alu-Alu) Tabs.	Albendazole 400 mg	10 x 10 x 1
17	Ceefix - 50 DT Tabs.	Cefixime 50 mg	10 x 1 x 10
18	Ceefix- 100 DT Tabs.	Cefixime 100 mg	10 x 1 x 10
19	Ceefix -200 Tabs.	Cefixime 200 mg	20 x 1 x 10
20	Ceefix CV 325 Tabs.	Cefixime 200 mg + Clavulanic acid 125 mg	10 x 1 x 6
21	Ceefix- OF Tabs.	Cefixime 200 mg + Ofloxacin 200 mg	10 x 1 x 10
22	Cetemed Tabs.	Cetirizine 10 mg	12 x 5 x 10
23	Cetemed AM Tab.	Ambroxol HCl 60 mg + Cetirizine 5 mg	6 x 5 x 10
24	Dynil Forte Tabs.	Metformin HC1500mg + Glibenclamide 5mg	20 x 10
25	Fungo-150 Tabs.	Fluconazole 150 mg	20 X 1
26	Libi Tabs.	Clidinium Bromide 2.5mg + Chlordiazepoxide 5 mg	25 x 10
27	Maxfor Tabs.	Metformin HCI 500 mg	4 x 5 x 10
28	Montidus-LC Tabs.	Levocetirizine 5mg + Montelukast 10 mg	10 x 1 x 10
29	Nimfast P-Tabs.	Paracetamole 325 mg + Nimesulide100 mg	20 x 10
30	Nindra 0.25 Tabs.	Alprazolam 0.25 mg	10 x 6 x 10
31	Nindra 0.5 Tabs.	Alprazolam 0.5 mg	12 x 5 x 10
32	Oflacad-OR Tabs.	Ofloxacin 200 mg + Ornidazole 500 mg	20 x 10
33	Roxygo - 150 Tabs.	Roxythromycin 150 mg	10 x 10
34	Spormax 125 DT Tabs.	Cephalexin 125 mg	20 x 10
35	Spormax 250 DT Tabs.	Cephalexin 250 mg	20 x 10
36	Stimat Tab.	Prochlorperazine Maleate 5mg	10 x 6 x 10
37	Zytak 150 Tabs.	Ranitidine 150 mg	20 x 10
38	Zytak 300 Tabs.	Ranitidine 300 mg	10 x 10
	CAPSULES		
1	Amoxil 250 Caps.	Amoxycillin 250 mg	20 x 10
2	Amoxil 500 Caps.	Amoxycillin 500 mg	20 x 10
3	Cadrich Soft Gel Caps.	Multivitamin & Multimineral Soft Gel Capsule	10 x 1 x 10
4	Gevital Soft Gel Caps.	Ginseng, Multivitamin & Multimineral	10 x 1 x 10
5	Itradec 200 Cap.	Itraconazole 200 mg	10 x 1 x 4
6	Maxifol Caps.	30 mg Elemental Iron + Vitamin B12 1 mcg + Folic Acid 0.3 mg + Dibasic Calcium Phosphate 100 mg + Zinc Sulphate 33 mg	20 x 15









PRODUCT LIST

S.No	PRODUCT NAME	COMPOSITION	UNIT PACK
7	Maxifol- Plus Caps.	Methylcobalamin 1500 mcg + Alphalipoic Acid 100 mg + Folic acid 1.5 mg + Pyridoxine HCl 3 mg	10 x 1 x
8	Maxifol- Z Caps.	Elemental Iron 50 mg + Zinc Sulphate Monohydrate 61.8 mg + Folic Acid 0.5 mg	20 x 15
9	Rabasto DSR Caps.	Rabeprazole Sodium 20 mg +Domperidone 30 mg	20 x 10
10	Rabasto- LS Caps.	Rabeprazole Sodium 20 mg +Levosulpiride 75 mg	10 x 1 x 10
11	Respidac Inhalant Caps.	Camphor 25mg + Chlorthymol 5 mg + Eucalyptus Oil 125 mg + Menthol 55 mg + Terpineol 120 mg	20 x 10
12	Spormax 250 Caps.	Cephalexin 250 mg	20 x 10 We
13	Spormax 500 Caps.	Cephalexin 500 mg	10 x 10
	INJECTIONS		
1	Amoxil Clav- 1.2 GM Inj.	Amoxycillin 1000 mg + Clavulanic acid 200 mg	Vial
2	Ceefix 250 mg Inj.	Ceftriaxone 250 mg	1 Vial
3	Ceefix 500 mg Inj.	Ceftriaxone 500 mg	1 Vial
4	Ceefix 1 GM Inj.	Ceftriaxone 1000 mg 1 gm.	Vial
5	Ceefix- SB 1.5 GM Inj.	Ceftriaxone 1000 mg + Sulbactum 500 mg	1.5 gm Vial
6 7	Gercip Infusion	Ciprofloxacin 200 mg / 100 ml.	100 ml 2 ml
8	Maxee -100 Inj Maxee 250 Inj	Amikacin 100 mg / 2 ml. Amikacin 250 mg / 2 ml.	2 ml
9	Maxee 500 Inj	Amikacin 200 mg / 2 ml.	2 ml
10	Maxither Inj.	Alpha Beta Arteether 150 mg / 2ml.	2 ml
11	Metrogee Infusion	Metronidazole 500mg / 100 ml.	100 m l.
12	Ofrex Infusion	ofloxacin 200 mg / 100 ml.	100 m J.
13	Ondee Inj.	Ondansetron 2 mg / ml	2 ml
14	Ondee Inj.	Ondansetron 2 mg / ml	10 ml. Vial
15	Vovcad Inj.	Diclofenac Sodium 25 mg / 1 ml	3 ml.
16	Vovcad Inj (Aq. Base)	Diclofenac Sodium 75 mg / 1 ml	1 ml. Amp
17	Zytak Inj. SYRUPS/ SUSPENSIONS/DROPS	Ranitidine 50 mg./ 2ml.	2 ml.
1	Amoxil Dry Syp.	Amoxycillin 125 mg / 5 ml.	30 / 60 mI
2	Amoxil Clav 228.5 Susp.	Amoxycillin 200 mg + Clavulanic acid 28.5 mg	30 ml
3	Azimed Drops.	Azithromycin 100 mg / 5ml.	15 ml
4	Cantel Susp.	Albendazole 200 mg / 5ml.	10 ml
5	Ceefix Dry Susp.	Cefixime 50 mg / 5ml.	30 ml
6	Ceefix -OF Dry Susp.	Cefixime 50 mg +Ofloxacin 50 mg /5ml	
7	Maxifol Red Syp.	Ferric Ammonium Citrate 10 mg + Folic Acid 1.5 mg + Cyanocobalamine 15 mcg / 5ml.	200 ml
8	Maxiprot Syp.	Protein Syrup	200 ml.
9	Maxoril- AM Plus Syp.	Ambroxol HCI 15 mg + Guaiphenesin 50 mg + Terbutaline sulphate 1.5mg + Menthol 0.5 mg / 5 ml.	50 / 100 ml
10	Maxoril- BR Cough Syp.	Terbutaline Sulphate 1.25 mg + Bromhexine HC I 2 mg+ Guaiphenesin 50 mg + Menthol 0.5 mg / 5 ml.	100 ml 30 ml.
11 12	Ondee Drop Respidac-TBG	Ondansetron 2 mg / 5 ml ExpectorantTerbutaline Sulphate 1.25 mg + Bromhexine HCl 2 mg+ Guaiphenesin 50 mg + Menthol 0.5 mg / 5 ml.	100 ml.
13	Roxygo Susp.	Roxythromycin 50mg / 5 ml.	30 ml
14	Spormax Dry Syp.	Cephalexin 125 mg / 5ml.	30 ml.
	EXTERNAL PREP.		
1	Cadidine Solution	Povidone lodine 5 % w/v	100 / 500 mI
2	Cadidine Oint.	Povidone Iodine 5 % w/w	15 / 250 gm
3	Kwick Heal Bandage	Adhesive bandages	200 Strips
4	Kwick Aid Surgical Tape	Surgical Tape	12 x 25 mm x 9.1 m
5	Kwick Aid Surgical Tape	Surgical Tape Surgical Tape	24 x12.5 mmx9.1 m
6	MN Scab Active Lotion	Gamma Benzene Hexachloride 1% w/v + Cetrimide 0.1% w/v	100 ml
7	CMW Mouth Wash	Chlorhexidine Gluconate 0.2 % w/v	100 ml
,	MISCELLANEOUS	D. I. J. P.	
1	Digitherm Thermometer	Digital Thermometer	1
2	Vigore Condom (Straw/Choc/Banana)	Multitexture Condom	10 x 1 x 10
3	Vigore Condom(Straw/Choc/Banana) Protized Powder	Multitexture Condom Protein Powder	20 x 1 x 3 200 gms
5	Zydus Mouth Freshner Spray	Pudina ka phool 0.6% w/w, Aloe Vera leaf extract 0.5% w/w + Peppermint oil 0.2% w/w	200 girs
0	Lydus modul i lesiller Spray	+ Dalchini oil 0.02% w/w + Lavang oil 0.02% w/w + Ealichi oil 0.02% w/w	20 pcs x15 gm

пΙ





PRODUCT INFORMATION

CONTENTS

TABLETS	1-8
CAPSULES	9-11
INJECTIONS	12-14
SYRUPS / SUSPENSIONS / DROPS	 15-18
EXTERNAL PREPARATIONS	19-20
MISCELLANEOUS	 21

iii







MAXX

ALERMED - 120

Each film coated tablet contains :

Fexofenadine Hydrochloride 120 mg

Presentation: 10 x 1 x 10





Indications: Alermed is an effective drug for Seasonal Allergic Rhinitis, Chronic

ALERMED- M

Each film coated tablet contains:

Fexofenadine Hydrochloride 120mg Montelukast Sodium eq. to Montelukast 10 mg

Presentation: 20 x 1 x 10



Indications: For the relief of symptoms of allergic rhinitis (seasonal and perennial)

AMOXIL CLAV - 625

Each film coated tablet contains:

Amoxycillin Trihydrate IP Eq. to Amoxycillin 500 mg Clavunate Potassium Diluted IP Eq. to Clavulanic acid 125 mg



Indications: Lower respiratory tract infections, Otitis Media, Sinusitis, Skin and skin Structure Infections, Urinary Tract Infections.

AMOXIL - 125 DT / 250 DT Each dispersible tablet contains : Amoxycillin Trihydrate IP eq. to Amoxycillin 125 mg / 250 mg

Presentation: 20 x 10



Indications: Amoxil is an effective drug for treatment of Lower Respiratory Tract, $\label{lem:constraints} \textbf{Genitourinary Tract, Gonorrhea}, \textbf{ENT}, \textbf{Skin \& Soft Tissue Infections}.$

1 TABLETS





ASLOMED-P

Each film coated tablet contains:

Aceclofenac IP 100 mg Paracetamol IP 325 mg

Presentation: 60 x 10 (Blister)







Indications: Rheumatoid arthritis, Osteoarthritis, Low Back Pain, Tendonitis, Bursitis, Sprains, Strains, Post-operative pain & Dental Pain


German Remedies

ASLOMED- MR

Each film coated tablet contains:

Aceclofenac IP 100 mg Paracetamol IP 325 mg Chlorzoxazone USP 250 mg

Presentation: 20×10





Indications: Effective in the treatment of Painful skeletal muscle spasm, Osteoarthritis, Fibrositis, Trauma involving muscle ligament & tendons

ASLOMED-SP

Each film coated tablet contains :

Aceclofenac IP 100 mg Paracetamol IP 325 mg Serratiopeptidase 15 mg

Presentation: 20 x 10





Indications: Oedema and swelling, Joint pains and Trauma, Dental pain, Post operative pain, Pelvic inflammatory disease, Deep Episiotomy, Caesarean cases

ATORMAX - 10 / 20

Each film coated tab. contains :

Atorvastatin Calcium IP eq. to Atorvastatin 10 mg / 20 mg

Presentation: 20 x 10



Indications: Atormax reduces the risk of Myocardial infarction, Angina & Stroke as well as reduce the level of lower "bad" cholesterol and fats (e.g., LDL, triglycerides) and raise "good" cholesterol (HDL) in the blood

2 TABLETS









AZIMED - 250 / 500

Each film coated tablet contains: Azithromycin Dihydrate Eq. to Azithromycin (anhydrous) 250 mg / 500 mg

Presentation: 10 x 1 x 6 (250 mg) 10 x 1 x 3 (500 mg)



Indications: Azimed is useful for the treatment of Bronchitis, Pneumonia, Sexually transmitted diseases (STD), Lungs & ENT Infections.

CADI-O

Each film coated tablet contains: Ofloxacin IP 200 mg

Presentation: 5 x 6 x 10






Indications: Respiratory infections, Skin infections, ENT infections, Genital infections.

CANTEL

Each uncoated chewable tablet contains :

Albendazole IP 400 mg

Presentation: 10 x 10 x 1 (Alu- Alu Pack)





Indications: Cantel is useful for the treatment of single or mixed intestinal worm

3 TABLETS

CEEFIX - 50 DT / 100

Each uncoated dispersible tablet contains:

Cefixime IP as Trihydrate

eq. to Anhydrous Cefixime 50 mg / 100 mg

Presentation: 10 x 1 x 10



 $\textbf{Indications}: \ \ \text{Ceefix is used for treatment of uncomplicated UTIs, otitis media, pharyngitis,}$ tonsillitis, acute bronchitis, acute exacerbations of chronic bronchitis, and uncomplicated gonorrhea caused by susceptible strains of specific organisms.

17-03-2020_GERMAN REMEDIES _FINAL Tuesday, March 17, 2020 9:37:21 PM





CEEFIX - 200

Each film coated tablet contains: Cefixime IP as Trihydrate eq. to Anhydrous Cefixime 200 mg



Indications: Ceefix is used for treatment of uncomplicated UTIs, otitis media, pharyngitis, tonsillitis, acute bronchitis, acute exacerbations of chronic bronchitis, and uncomplicated gonorrhea caused by susceptible strains of specific organisms.

CEEFIX - CV 325

Cefixime Trihydrate IP

Eq. to Cefixime Anhydrous200 mg Potassium Clavulanate Diluted IP Eq. to Clavulanic Acid125 mg

 $\textbf{Presentation}: 10 \times 1 \times 6$



Indications: Respiratory tract infections, ENT Infections, Urinary tract infections

CEEFIX - OF

Each film coated tab, contains:

Cefixime Trihydrate IP Eq. to Cefixime Anhydrous200 mg Ofloxacin IP200 mg

Presentation: 10 x 1 x 10




Indications: Typhoid Fever, Urinary Tract Infection, Respiratory Tract Infection, Nosocomial etc.

CETEMED

Each film coated tablet contains:

Cetirizine Hydrochloride IP 10 mg

Presentation: 12 x 5 x 10



Indications: Cetemed is used for Allergic Rhinitis, symptoms of Redness, Itching. A potent drug for allergic reaction due to food, drugs, insect bites.

4 TABLETS







German Remedies

CETEMED-AM

Each film coated tab. contains: Ambroxol hydrochloride 60 mg Cetirizine hydrochloride 5 mg

Presentation: 6 x 5 x 10





Indications: Cetemed AM is used for Allergic Rhinitis, Cough associated with Mucus

DYNIL FORTE

Each uncoated tablet contains: Metformin Hydrochloride IP 500mg Glibenclamide IP 5mg

Presentation: 20 x 10



Indications: Dynil Forte is used in the management of type -2 diabetes.

FUNGO - 150

Each uncoated tablet contains : Fluconazole U.S.P. 150 mg.

Presentation: 20 x 1 x 1



Indications: Fungo is useful for treatment of Fungal Infections & Cryptococcal Meningitis.

Each film coated tablet contains:

Clidinium Bromide USP 2.5 mg Chlordiazepoxide IP 5 mg

Presentation: 25 x 10





Indications: Libi is useful in Irritable bowel syndrome, Gastritis, Mucous colitis, Acute enterocolitis, Nervous dyspepsia, Peptic ulcer

5 TABLETS









MAXFOR - 500

Each film coated tablet contains: Metformin Hydrochloride IP 500 mg

Presentation: 4 x 5 x 10

MAXX



Indications: Maxfor is primarily suited for the treatment of non-insulin-dependent diabetes mellitus

MONTIDUS-LC

Each film coated tablet contains:

Levocetirizine Hydrochloride IP 5 mg Montelukast Sodium IP equivalent to Montelukast 10 mg

Presentation: 10 x 1 x 10



Indications: Relief of symptoms of allergic rhinitis (seasonal and perennial),as prophylaxis in seasonal allergic rhinitis and treatment of co-morbid asthma & allergic rhinitis in patients 15 yrs.of age and older

NIMFAST-P

Each uncoated tablet contains:

Paracetamol IP 325 mg Nimesulide BP 100 mg **Presentation**: 20 x 10





Indications : Nimfast-P is used for Low Back Pain, Fever, Osteo-arthritis, Dysmenorrhoea, Dental Pain and Sport Injuries.

NINDRA 0.25 / 0.5

Each uncoated tablet contains:

Alprazolam IP0.25 mg / 0.5 mg

Presentation: 12 x 5 x 10









6 TABLETS

 $\overline{+}$








MAXX

OFLACAD-OR

Each film coated tablet contains: Ofloxacin IP 200 mg Ornidazole 500 mg

Presentation: 20 x 10





Indications: Diarrhoea, Dysentery, Mixed Gastrointestinal infection, surgical infections, Gynaecological infections, Respiratory tract infections & ENT infections etc.

ROXYGO-150

Roxithromycin 150 mg

 $\textbf{Presentation}: 10 \times 10$



Indications: Roxygo is indicated for use in the treatment of mild to moderate infections of the Ear, Nose and Throat, Respiratory tract, in the Skin and Skin structure and

Each uncoated tablet contains: Prochlorperazine Maleate IP 5mg

 $\textbf{Presentation}: 12 \times 5 \times 10$



Indications: Stimat is used for control of severe nausea and vomiting as well as for the treatment of Schizophrenia & Anxiety.

7 TABLETS

ZYTAK - 150 / 300

Each film coated tablet contains: Ranitidine Hydrochloride I.P. eq. to Ranitidine 150 mg / 300 mg

Presentation: 10 x 2 x 10 (150 mg) 10 x 10 (300 mg)




Indications: Duodenal and gastric ulcer, Reflux Oesophagitis and zollinger - Ellison

















MAXX

AMOXIL - 250 / 500

Each hard gelatin capsule contains: Amoxycillin Trihydrate I.P eq. to Amoxycillin 250 mg / 500 mg

Presentation: 20 x 10



Indications: Amoxil is an effective drug for treatment of Lower Respiratory Tract, Genitourinary Tract, Gonorrhea, ENT, Skin & Soft Tissue Infections.

CADRICH

Multivitamin & Multiminerals Soft Gel Capsule

 $\textbf{Presentation}: 10 \times 1 \times 10$







Indications: It is used as a dietary nutritional supplement

GEVITAL

Ginseng, Multivitamin & Multimineral Soft Gel Capsule

Presentation: 10 x 1 x 10









Gevital is used to fights fatigue and keeps you energetic throughout the day, Helps improve your health & stamina, Improves mental alertness & concentration, Supplements diet for increased well-being , Increases ability to handle stress, Maintains good health & builds immunity, Keeps you physically active all day long , Keeps you mentally alert all day long, Provides essential vitamins & minerals

9 CAPSULES

ITRADEC-200

Each hard gelatin capsule contains: Itraconazole Pellets Eq. to Itraconazole BP 200 mg

Presentation: 10 x 1 x 4







Indications: For the treatment of fungus infection that invade any part of the body including lungs, mouth, throat, toenails & fingernails.











German Remedies

MAXIFOL

Each hard gelatin capsule contains: Ferrous Gluconoate IP 259 mg eq. to 30 mg elemental Iron Vitamin $B_{\rm 12}$ IP 1 mcg, Folic Acid IP 0.3 mg. Dibasic Calcium Phosphate IP---100 mg., Zinc Sulphate IP----33 mg

Presentation: 10 x 2 x 15





Indications: Maxifol is used for the treatment of Nutritional Anaemias, Anaemia due to pregnancy, lactation and chronic haemorrhage, Menorrhagia & worm infestation, convalescence and general debility.

MAXIFOL PLUS

Each hard gelatin capsule contains : Methylcobalamin 1500 mcg

Alphalipoic Acid 100 mg Folic acid 1.5 mg Pyridoxine Hydrochloride 3 mg

Presentation: 10 x 1 x 10





CAPSULES

Indications: Useful in various Neuropathies like Diabetic Neuropathy, Alcoholic Neuropathy, Drug-induced Neuropathy, Bell's Palsy, Trigeminal Neuralgia, Sciatica, Post-herpetic Neuralgia and Optic Neuritis. Also useful in reducing homocysteine levels.

MAXIFOL-Z

Each capsule contains:

Elemental Iron 50 mg (in the form Carbonyl Iron) Zinc Sulfate Monohydrate USP 61.8 mg (eq. to 22.5 mg of elemental zinc)
Folic Acid IP 0.5 mg



Indications: Maxifol-Z is used for the treatment of Nutritional Anaemias, Anaemia due to pregnancy, lactation and chronic haemorrhage, Menorrhagia & worm infestation, convalescence and general debility.

RABASTO DSR

Each hard gelatin capsule contains:

Rabeprazole Sodium I.P. 20 mg (As enteric coated pellets) Domperidone I.P. 30 mg (As sustained release pellets)

Presentation: 20 x 10








Indications: Hyper-acidity, GERD, Regurgitation & Flatulence, Heart Burn & Reflux Oesophagitis, Gastric & Peptic Ulcer.

10 CAPSULES









RABASTO- LS

Each hard gelatin capsule contains:

Rabeprazole Sodium IP 20 mg (as enteric coated pellets) Levosulpiride 75 mg (as sustained release pellets)

German Remedies







Indications: Healing of erosive or ulcerative gastro-oesophageal reflux disease (GERD), Maintenance of healing of erosive or ulcerative GERD, Healing of duodenal ulcers, Treatment of pathological hyper secretory conditions including Zollinger-Ellison syndrome, Irritable bowel syndrome & Chronic gastritis.

RESPIDAC INHALANT CAPS.

Each soft gelatin capsule contains:

Camphor I.P. 25mg
Chlorothymol 5 mg
Eucalyptus Oil 125 mg
Menthol I.P. 55 mg
Terpineol I.P. 120 mg

Presentation: 20 x 10







Respidac soft gel capsule are indicated for prompt relief of Symptoms of common cold, laryngitis, tracheitis, bronchitis, and all other conditions accompanied by congestion of the upper respiratory tract.

SPORMAX - 250 / 500

Each hard gelatin capsule contains:

Cephalexin Monohydrate IP eq. to Cephalexin 250 mg / 500 mg

Presentation: 20 x 10 (250 mg) 10 x 10 (500 mg)





Indications :Spormax is used for the treatment of Respiratory tract infections, Otitis media, Skin & Skin structure infections, Bone infections, genitourinary tract infections

11 CAPSULES



75

25

U



INJECTIONS



AMOXIL CLAV - 1.2 GM

Amoxycillin Sodium IP Sterile Eq. to Amoxycillin 1000 mg Clavulanate Potassium USP Sterile Eq. to Clavulanic acid 200 mg

Presentation: 1.2 GM Vial





Indications: Upper & lower respiratory tract infections, Genito- urinary tract infections & skin and soft tissue infections.

German Remedies

CEEFIX - 250Mg / 500Mg / 1Gm

Ceftriaxone Sodium I.P

Eq. to Ceftriaxone $\,$ 250 mg / 500 mg / 1Gm $\,$

Presentation: 250 mg / 500 mg / 1Gm Vial







Indications : Gonorrhea ,Pelvic inflammatory disease ,meningitis and infections of the lungs, ears, skin, urinary tract, blood, bones, joints, abdomen and also sometimes given before certain types of surgery to prevent infections that may develop after the operation.

CEEFIX- SB 1.5 GM

Sterile Ceftriaxone Sodium eq.to Ceftriaxone Anhydrous IP 1000mg Sterile Sulbactum Sodium Eq.to Sulbactum U.S.P 500mg

Presentation: 1.5 Gm Vial



Indications: Treatment of skin and soft tissue infections, cholecystitis, osteomyelitis, chronic suppurative bacterial otitis media, gonorrhoea, chancroid, syphilis, UTI infections, meningitis, nosocomial infection caused by susceptible bacteria.

GERCIP

Each 100 ml, contains:

Ciprofloxacin IP Sodium Chloride IP......0.9% w/v Water for Injection IP

Presentation: 100 ml.



Indications: Urinary Tract Infections, Lower Respiratory Infections, Nosocomial Pneumonia, Skin and Skin Structure Infections, Bone and Joint Infections, Complicated Intra-Abdominal Infections, Acute Sinusitis, Chronic Bacterial Prostatitis etc.

12 INJECTIONS









MAXEE - 100 / 250 / 500

Amikacin sulphate IP

eq. to Amikacin 100 mg / 250 mg / 500 mg

Presentation: 2 ml. Vial (100, 250 & 500 mg)





Indications: Maxee is used for Respiratory tract infection, Intra abdominal infection, Burn & Post operative infections

MAXITHER

Each 2 ml. contains: Alpha Beta Arteether 150 mg

Presentation: 2 ml. Amp.



Indications: Maxither is used for severe malaria including cerebral malaria and as a second line drug in chloroquine resistant malaria

METROGEE

Each 100 ml. contains:

Metronidazole IP 500 mg Sodium Chloride IP 0.8% w/v Water for Injection IP q.s.

Presentation: 100 ml.



Indications : Anaerobic infections, Intra-Abdominal Infections, Skin and Skin Structure Infections, Gynecologic Infections, Bacterial Septicemia, Bone and Joint Infections, CNS infections, Lower Respiratory tract infections, Endocarditic, colorectal surgery etc.

13 INJECTIONS

OFREX

Each 100 ml. contains: Ofloxacin IP 200 mg Sodium Chloride IP 0.9 gm Water for Injection IP q.s.

Presentation: 100 ml.



Indications: Acute bacterial exacerbation of chronic bronchitis, Community-acquired Pneumonia, Uncomplicated skin and skin structure infections, Acute, uncomplicated urethral and cervical gonorrhea, Nongonococcal urethritis and cervicitis, Mixed infections of the urethra and cervix, Acute pelvic inflammatory disease, Uncomplicated cystitis, Complicated $urinary\,tract\,in fections\,,\,Prostatitis$







ONDEE

Each ml of aq. soln contains:

Ondansetron 2 mg as Ondansetron hydrochoride dihydrate USP

Presentation: 2 ml. Amp. & 10 ml. Vial



Indications: Ondee is used for Nausea and Vomiting.


German Remedies

VOVCAD

Each ml. contains :

Diclofenac Sodium IP 25 mg

Presentation: 3 ml. Amp.







Indications: Vovcad is used for instant relief from Musculo Skeletal Pain like Arthritis, Toothache, Pain due to Sprain, Joints Pain, Muscular Pain etc.

VOVCAD (Aq. Base)

Each ml. contains:

Diclofenac Sodium 75 mg Benzyl Alcohol IP 4 % v/v (As preservative) Water for Injection IP q.s

Presentation: 1ml. Amp.



Indications: It is useful in the Management of acute pain including post-operative pain.

ZYTAK

Each 2 ml. contains:

Ranitidine hydrochloride eq.to Ranitidine 50 mg.

Presentation : 2 ml.



14 INJECTIONS









AMOXIL

Each 5 ml. of reconstituted suspension contains:

Amoxycillin Trihydrate IP eq.to Amoxycillin 125 mg

Presentation: 30 ml. & 60 ml.





Indications: Amoxil is an effective drug for treatment of Lower Respiratory Tract, Genitourinary Tract, Gonorrhea, ENT, Skin & Soft Tissue Infections.

AMOXIL CLAV -228.5

Each 5 ml. of reconstituted Suspension contains:

Amoxycillin Trihydrate IP Eq. to Amoxycillin 200 mg Clavulanate Potassium Diluted IP Eq. to Clavulanic acid 28.5 mg

Presentation: 30 ml





Indications: Upper & lower respiratory tract infections, Genito- urinary tract infections & skin and soft tissue infections.

AZIMED DROPS

Each 5 ml. oral suspension contains :

Azithromycin IP eq. to Azithromycin 100 mg

Presentation: 15 ml.



Indications: Acute otitis media, Community-acquired pneumonia

CANTEL

Each 5 ml. contains : Albendazole I.P. 200 mg

Presentation: 10 ml.





 $\textbf{Indications}: \textbf{Cantel} \ \textbf{is} \ \textbf{useful for the treatment of single or mixed intestinal worm infection}.$

15 SYP. / SUSP. / DROPS



German Remedies

CEEFIX

MAXX

Each 5 ml. after reconstitution suspension contains:Cefixime USP as Trihydrate

eq. to Anhydrous Cefixime 50 mg

Presentation: 30 ml.



Indications: Ceefix is used for treatment of uncomplicated UTIs, Otitis Media, Pharyngitis, Tonsillitis, Acute Bronchitis, Acute Exacerbations of Chronic Bronchitis, and Uncomplicated Gonorrhea Caused by Susceptible Strains of Specific Organisms.

CEEFIX-OF

Each 5 ml. of the reconstituted suspension contains:

Cefixime Trihydrate IP Eq. to Anhydrous Cefixime 50 mg Ofloxacin IP 50 mg

Presentation: 30 ml





Indications: Typhoid fever, UTI, RTI, Nosocomial infections, Soft tissue infections, Skin infection, Bone & Joint infection.

MAXIFOL RED

Each 5 ml contains:

Ferric Ammonium Citrate IP------10 mg
Folic Acid IP-------1.5 mg
Cyanocobalamine IP-----15 mcg
Sorbital solution (70 %)------q.s

Presentation: 225 ml



Indications: Maxifol Red is used for the treatment of Nutritional Anaemias, Anaemia due to pregnancy, lactation and chronic haemorrhage, Menorrhagia & worm infestation, convalescence and general debility.

MAXIPROT

Each 5 ml contains:

Protein Hydrolysate 20 %----0.333 g., Niacinamide IP-------10 mg Iron Choline Citrate ------15 mg, Magnesium Chloride IP -----3.333 mg (As trace element), Zinc Sulphate I.P.----2.7 mg (eq. to Element zinc-----0.600 mg), L- Lysine hydrochloride USP---20 mg

Presentation: 200 ml.





Indications: Maxiprot is used for Liver Corrective, Appetizer, Growth Promoter and deficiency disorders such as kwashiorkor, marasmus, growing children prone to protein energy malnutrition, pregnancy and lactating mothers

16 SYP. / SUSP. / DROPS

SYRUPS / SUSPENSIONS / DROPS









MAXORIL-AM

Ambroxol Hydrochloride IP15	mg
Guaiphenesin IP50	mg
Terbutaline Sulphate1.5	mç
Menthol IP0 5	mo

Presentation: 100 ml.



Indications: Maxoril-AM is used for the treatment of productive cough when associated with bronchospasm in conditions such as bronchitis, bronchial asthma, chronic obstructive pulmonary disease (COPD), bronchiectasis and emphysema.

MAXORIL -BR COUGH SYRUP

Each 5 ml. contains:

Terbutaline Sulphate IP 1.25 mg Bromhexine Hydrochloride IP 2 mg Guaiphenesin IP 50 mg Menthol IP 0.5 mg

Presentation: 100 ml.



Indications: Cough associated with Acute and Chronic Bronchitis, Asthmatic Bronchitis, Emphysema, Active and Passive Smoking, Pulmonary TB and Other **Bronchospastic Disorders**

ONDEE DROPS

Ondansetron HCI IP eq. to Ondansetron 2 mg

Presentation: 30 ml.



Indications: Ondee is used for Nausea and Vomiting.

RESPIDAC-TBG

Each 5 ml. contains: Terbutaline Sulphate IP 1.25 mg , Bromhexine Hydrochloride IP 2 mg Guaiphenesin IP 50 mg , Menthol IP 0.5 mg

Presentation: 100 ml.



Respidac-TBG indicated in Cough, Breathlessness, Bronchitis and Pneumonia.

17 SYP. / SUSP. / DROPS





ROXYGO

Each 5 ml contains: Roxithromycin 50mg

Presentation: 30 ml.





Indications: Roxygo is indicated for the treatment of mild to moderate infections of the Ear, Nose and Throat, Respiratory tract, in the Skin and Skin structure and Genitourinary Tract

German Remedies

SPORMAX

Each 5 ml reconstitution suspension contains: Cephalexin IP as Anhydrous Cephalexin 125 mg

Presentation: 30 ml.



Indications: Spormax is used for the treatment of Respiratory tract infections, Otitis media, Skin & Skin structure infections, Bone infections, Genitourinary tract infections



18 SYP. / SUSP. / DROPS









CADIDINE Germicidal Solution

Povidone lodine I.P. ----5 % w/v (Available lodine 0.5 % w/v)



Indications : Cadidine is useful for Prophylaxis or treatment of Wounds, Burns and skin lesions Infections.

CADIDINE Ointment

Povidone Iodine I.P. ---- 5 % w/w (Available Iodine 0.5 % w/w)

Presentation: 15 & 250 gm



Indications: Cadidine is useful for Prophylaxis or treatment of Wounds, Burns and skin lesions Infections.

KWICK HEAL Bandage

Each pad contains:

Benzalkonium Chloride Solution IP eq. to Benzalkonium Chloride 0.5 % w/w

Presentation: 200 Strips





Indications: Kwick heal is used for first aid treatment & as an Antiseptic Bandage.

KWICK AID SURGICAL TAPE

Surgical Tape

Presentation: 12 x 25 mm x 9.1m 24 x 12.5 mm x 9.1 m



Indications: It is used in surgery.

19 EXTERNAL PREPARATIONS







MN SCAB Active Lotion

Gamma Benzene Hexachloride IP----1% w/v Cetrimide IP-----0.1% w/v

Presentation: 100 ml.

MAXX



Indications: MN Scab Active is prescribed in the treatment of Pediculosis and Scabies.


CMW MOUTHWASH

Chlorhexidine Gluconoate Solution IP Diluted to Chlorhexidine Gluconate 0.2 % w/v

Presentation: 100 ml.



Indications : CMW Mouthwash is useful for prevention & treatment of Plaque, Gingivitis, Cardinal infections and Periodontal surgery











MAXX

DIGITHERM

Digital Thermometer

Presentation: 10 X 1 Pack



Indications: Measurement of body temperature

PROTIZED POWDER

Composition:Protein Hydrolysate, Calcium, Phosphorous, Pyridoxine, Cyanocobalamin, Vit. D₃, Niacinamide, Folic Acid, Zinc & Iron etc.

Presentation: 200 gm



Indications: Protized is a protein supplement powder along with essential nutrients which gives energy to the body

VIGORE Condom

Multi Texture Condom (Strawberry / Chocolate / Banana Flavour)

 $\textbf{Presentation}:\ 20\ x\ 1\ x\ 3$



Indications: Vigore condom helps to prevent AIDS & unwanted pregnancy

ZYDUS MOUTH FRESHNER SPRAY

Each pack contains:

Pudina ka phool0.6%w/w Aloe Vera leaf extract0.5%w/w Peppermint oil 0.2%w/w Dalchini oil0.02%w/w Lavang oil 0.02%w/w Ealichi oil 0.02%w/w

Presentation: 20 Pcs x 15 gm



Indications: Freshens your breath

21 | MISCELLANEOUS

